



SAE TESTING CO., LTD

Http://www.sae-world.com.cn

E-mail: sa@saeworld.com.cn

Confirmation Letter

Reference No.: CRN0806131

Applicant

JINHUA RCEXL CO., LTD.

No.868 People west Road, Jinhua
Zhejiang321000, China.

Manufacturer

JINHUA RCEXL CO., LTD.

No.868 People west Road, Jinhua
Zhejiang321000, China.

Product: GASENGINES IGNITION SYSTEM

Model No.: RCEXL A-01

The following product submitted by the applicant has been tested by us, and/or verified on the basis of the ROHS test report provided by the applicant, and found in compliance with the following directive:

2002/95/EC

Restriction of the Use of Certain Hazardous
Substance in Electrical & Electronics Equipment (RoHS)

Manager

Date: June 23, 2008



The statement is based on a single evaluation of one sample of above mentioned products.

It does not imply an assessment of the whole production.

The certificate holder is responsible for the consistent manufacturing of the product in compliance with the tested sample(s) or component(s) submitted to us.

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China.
Tel.: +86 574 27721536 27721537 27721539 Fax.: +86 574 27721538

ROHS TEST REPORT



Address: 2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park,
NingBo315040, China.

Tel : (86-574)2772 1536, 2772 1537

Fax : (86-0574)2772 1538

Web : www.saeworld.com.cn





NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Determination of Hazardous Substances TEST REPORT

Report reference No. CRN0806131

Date of issue 2008-06-20

Testing Laboratory NingBo SAE Testing Co., Ltd

Address 2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park,
NingBo315040, China.



Applicant's Name Jinhua RCEXL Co., Ltd.

Address No.868 People west Road, Jinhua Zhejiang321000, China.

Description of the appliance GASENGINES IGNITION SYSTEM

Model and/or type reference .. RCEXL A-01

Country of Destination Europe

Sample Receiving Date 2008-6-19

Testing Period Until 2008-6-20

Test Conducted As per EEC Commission Directive 2002/95/EC on the use of certain
hazardous substances in electrical and electronic equipment (RoHS)

Results Refer to next pages

Tested by:

Checked by:

Nicole Wu

Nicole Wu

Mike Wei

Mike Wei



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Test Method

<u>Testing Item</u>	<u>Testing method</u>	<u>Detection Limit</u>
Cadmium (Cd)	With reference to BS EN 1122:2002 method B, or by other acid digestion, and analysed by ICP-AES or AAS	100 ppm
Mercury (Hg)	With reference to US EPA 3052, or by other acid digestion, and analysed by ICP-AES or AAS	1000ppm
Plumbum(Pb)	With reference to US EPA 3052, or by other acid digestion, and analysed by ICP-AES or AAS	1000ppm
Hexavalent Chromium (Cr 6+)	With reference to US EPA 3060A & 7196A, by alkaline digestion, and analysed by UV-VIS	2 ppm
Polybrominated Biphenyls (PBB)	With reference to US EPA 3540C, by solvent extraction, and analysed by GC-MS and HPLC-DAD	5 ppm
Polybrominated diphenyl ethers (PBDE)	With reference to US EPA 3540c, by solvent extraction, and analysed by GC-MS and HPLC-DAD	5 ppm

Note:

Following test data is reference in the following text,
ND = Not Detected, less than the value of Detection Limit
ppm = mg / Kg, based on the dry weight of tested sample
P = Passed
F = Failed



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.sae-world.com.cn

Part List

No	Object/Part No.	Manufacturer/ Trademark	Type/ Model	Pb	Cd	Cr	Hg	Br
1	Enclosure	Jinhua RCEXL Co., Ltd.	ABS	P	P	P	P	P
2	Signal wire black insulation	Shenzhen shengdongda electric Co.,Ltd.	---	P	P	P	P	P
3	Signal wire conductor	Shenzhen shengdongda electric Co.,Ltd.	Copper	P	P	P	P	P
4	Signal wire red insulation	Shenzhen shengdongda electric Co.,Ltd.	---	P	P	P	P	P
5	Signal wire white insulation	Shenzhen shengdongda electric Co.,Ltd.	---	P	P	P	P	P
6	Red quick connector	---	---	P	P	P	P	P
7	Black quick connector	---	---	P	P	P	P	P
8	Red heat shrinking sleeve	Suzhou boer cold-heat shrinking ,material Co.,Ltd.	---	P	P	P	P	P
9	Black heat shrinking sleeve	Suzhou boer cold-heat shrinking ,material Co.,Ltd.	---	P	P	P	P	P
10	Argent insulation of the cord	Shenzhen shengdongda electric Co.,Ltd.	FUTAB A	P	P	P	P	P
11	Black insulation of the cord	Shenzhen shengdongda electric Co.,Ltd.	FUTAB A	P	P	P	P	P
12	Conductor	Shenzhen shengdongda electric Co.,Ltd.	FUTAB A	P	P	P	P	P
13	Sealed ring in stainless steel cover	Jinhua RCEXL Co., Ltd.	Rubber	P	P	P	P	P
14	Stainless steel cover	Jinhua RCEXL Co., Ltd.	Steel	P	P	P	P	P
15	Button on stainless steel cover	Jinhua RCEXL Co., Ltd.	Metal	P	P	P	P	P
16	Spring on stainless steel cover	Jinhua RCEXL Co., Ltd.	Metal	P	P	P	P	P
17	Ring on stainless steel cover	Jinhua RCEXL Co., Ltd.	Metal	P	P	P	P	P
18	High voltage transformer	Foshan shunde qiangli electrical appliance Co.,Ltd.	---	P	P	P	P	P
19	Tin	Hangzhou youbang tin Co.,Ltd.	SnCu0.7	P	P	P	P	P
20	PCB	Jinhua wuyi tianyi PCB Co.,Ltd.	---	P	P	P	P	P
21	Bobbin	---	---	P	P	P	P	P
22	Magnetic wire	---	---	P	P	P	P	P
23	Capacitor	Zhejiang jingbei electric element Co.,Ltd.	C1	P	P	P	P	P

SAE TESTING

Reference No.: CRN0806131

Page: 3 of 26



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
1# Enclosure	ABS	Result(ppm)	N.D	9	224	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 01>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.sae-world.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
2# Signal wire black insulation	---	Result(ppm)	N.D	34	44	N.D	9
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm , Hg<1000ppm
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 02>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
3# Signal wire conductor	Copper	Result(ppm)	N.D	20	N.D	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 03>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
4# Signal wire red insulation	---	Result(ppm)	N.D	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 04>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
5# Signal wire white insulation	---	Result(ppm)	N.D	32	27	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm,Cd<100ppm , Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 05>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
6# Red quick connector	---	Result(ppm)	N.D	46	N.D	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 06>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
7# Black quick connector	---	Result(ppm)	N.D	19	54	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 07>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
8# Red heat shrinking sleeve	---	Result(ppm)	N.D	N.D	N.D	N.D	580
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 08>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.sae-world.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
9# Black heat shrinking sleeve	---	Result(ppm)	N.D	N.D	18	N.D	9
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 09>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
10# Argent insulation of the cord	FUTABA	Result(ppm)	122	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 10>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
11# Black insulation of the cord	FUTABA	Result(ppm)	7	12	24	N.D	
		Judgment	P	P	P	P	

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 11>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	
12# Conductor	FUTABA	Result(ppm)	76	N.D	N.D	N.D	
		Judgment	P	P	P	P	

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements, Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 12>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
13# Sealed ring in stainless steel cover	Rubber	Result(ppm)	9	12	N.D	N.D	22
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 13>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
14# Stainless steel cover	Steel	Result(ppm)	N.D	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 14>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.sae-world.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
15# Button on stainless steel cover	Metal	Result(ppm)	170	N.D	71	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 15>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
16# Spring on stainless steel cover	Metal	Result(ppm)	141	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 16>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
17# Ring on stainless steel cover	Metal	Result(ppm)	N.D	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 17>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
18# High voltage transforme r	---	Result(ppm)	73	N.D	11	N.D	7
		Judgment	P	P	P	P	P

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 18>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
19# Tin	SnCu0.7	Result(ppm)	N.D	N.D	N.D	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND—indicate no detected the element (<5ppm)

<Graph 19>



NingBo SAE Testing Co., Ltd


2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn

Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	
20# PCB	---	Result(ppm)	743	8	115	N.D	
		Judgment	P	P	P	P	

CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 20>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
21# Bobbin	---	Result(ppm)	9	N.D	28	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 21>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
22# Magnetic wire	---	Result(ppm)	213	68	N.D	N.D	N.D
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 22>



NingBo SAE Testing Co., Ltd

2F, Chuangxin Building, No.673 Jiangnan Rd, Hi-Tech Park, NingBo315040, China
Tel: +86 574 27721536 Fax: +86 574 27721538 www.saeworld.com.cn


Data documentation

Consult ROHS environmental management material technical standard procedure

Part	Specification	Test Item	Pb	Cd	Cr	Hg	Br
23# Capacitor	C1	Result(ppm)	6	11	N.D	N.D	11
		Judgment	P	P	P	P	P



CCD Picture:



Remark:

- 1 Judge standard: Pb<1000ppm, Cd<100ppm, Hg<1000ppm,
- 2 Br--include all Br elements; Cr--include all Cr elements
- 3 ND--indicate no detected the element (<5ppm)

<Graph 23>

===== End of Test Report =====